





(ENG) Delicate arches and simple cylinders in a family of lights which can be used singly or in clusters of brilliance. Aluminium heads with acrylic diffusers. (ESP) Delicados arcos y simples cilindros forman esta familia de lámparas individuales o combinadas en grupos. Pantallas de aluminio con difusores de metacrilato.






Suspension

180

Volta

180 / Showroom by @estive\_estudi 181 / Clinica dental Delgado by @alibazconstruccion @kamalfotografia



Volta

181

Suspension

# VOLTA

## T-3535-W

LED 2x6,1W **A+**  
 ( 2700K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 2x565 lumens  
 Dimmable Triac

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

## T-3536-W

LED 3x6,1W **A+**  
 ( 2700K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 3x565 lumens  
 Dimmable Triac

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

### Additional

50° angle acrylic optic lens conversion kit.  
 We offer custom finishes, sizes,  
 and alternate lamping for projects.  
 Contract option minimum quantity required.

*Photographs may show non-standard products.*




## T-3535-M

LED 2x6,1W **A+**  
 ( 3000K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 2x578 lumens  
 Dimmable Triac

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)




## T-3536-M

LED 3x6,1W **A+**  
 ( 3000K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 3x578 lumens  
 Dimmable Triac

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)



### Contract option

Recessed canopy  
 with remote driver




Restaurante Escena by @peanut\_design\_studio

(ENG) Create your own custom suspension light combining them individually or with our selection of canopies. (ESP) Crea tu propio diseño combinando suspensiones de forma independiente.

# LINEAR CANOPY

VOLTA L73.2D




# LINEAR CANOPY

VOLTA L165.3D



VOLTA L78.1D1T










VOLTA L92.2T



VOLTA L165.1D2T





VOLTA L165.3D2T






# ROUND CANOPY



Hotel Atenea Mar by @carlesgrauches.interiors






Wall light

190

Volta



Volta

191

Wall light





Hotel Riu Plaza España by #acginteriorismo



Volta

193

Wall light

# VOLTA

## A-3530-W

LED 6,1W **A+**  
 ( 2700K / Ang.120° / >90CRI  
 350mA) / 100V - 240V  
 Typ\* 565 lumens  
 Non Dimmable

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

## A-3531-W

LED 6,1W **A+**  
 ( 2700K / Ang.120° / >90CRI  
 350mA) / 100V - 240V  
 Typ\* 565 lumens  
 Non Dimmable

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

### Additional

50° angle acrylic optic lens conversion kit.  
 We offer custom finishes, sizes,  
 and alternate lamping for projects.

*Photographs may show non-standard products.*



## A-3530-M

LED 6,1W **A+**  
 ( 3000K / Ang.120° / >90CRI  
 350mA) / 100V - 240V  
 Typ\* 578 lumens  
 Non Dimmable

### Finishes



- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

## A-3531-M


LED 6,1W **A+**  
 ( 3000K / Ang.120° / >90CRI  
 350mA) / 100V - 240V  
 Typ\* 578 lumens  
 Non Dimmable

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)



### Cord&Plug accessory



Byron Beach Residence by @byron\_beach\_abodes @sarahhellisonstudio #jessieprince






196 / Mirazur by @maravillalonpuras 197 / Private residence by @studio\_erez\_hyatt




# LINEAR CANOPY




VOLTA L73.3S




VOLTA L92.4S



VOLTA L165.6S




VOLTA R40.3S




# ROUND CANOPY



VOLTA R70.7S



VOLTA R100.17S



# VOLTA

## T-3534-W

LED 6,1W **A+**  
( 2700K / Ang.120° / >90CRI  
350mA) / 100V - 240V  
Typ\* 565 lumens  
Non dimmable  
(dimmable upon request)  
Compositions are dimmable

### Finishes


- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

## T-3534-M

LED 6,1W **A+**  
( 3000K / Ang.120° / >90CRI  
350mA) / 100V - 240V  
Typ\* 578 lumens  
Non dimmable  
(dimmable upon request)  
Compositions are dimmable

### Finishes


- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)




### Additional

50° angle acrylic optic lens  
conversion kit.  
We offer custom finishes, sizes,  
and alternate lamping for projects.

*Photographs may show non-standard products.*



Hotel Atenea Mar @carlesgrauches.interiors





# VOLTA

## M-3537-W

LED 6,1W **A+**  
 ( 2700K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 565 lumens  
 On/Off Switch

### Finishes


- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

## M-3537-M

LED 6,1W **A+**  
 ( 3000K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 578 lumens  
 On/Off Switch

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)



## p-3538-W

LED 6,1W  
 ( 2700K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 565 lumens  
 Push button dimmer  
 on the head

### Finishes


- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)

## p-3538-M

LED 6,1W **A+**  
 ( 3000K / Ang.120°  
 >90CRI / 350mA) / 230V  
 Typ\* 578 lumens  
 Push button dimmer  
 on the head

### Finishes

- 26 BLK (Body)
  - 26 BLK (Head)
  - 61 S GLD (Head)
- 71 WH (Body)
  - 71 WH (Head)



Hotel Atenea Mar @carlasgrauches.interiors



## Additional

50° angle acrylic optic lens conversion kit.  
 We offer custom finishes, sizes,  
 and alternate lamping for projects.

*Photographs may show non-standard products.*

